

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1849	"710"/\$.CCLS. AND (((("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((peripheral device) NEAR2 (switch\$3 select\$3)) AND (@ad<"20020920" @rlad<"20020920"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:48
L2	8484	((("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((peripheral device) NEAR2 (switch\$3 select\$3)) AND (@ad<"20020920" @rlad<"20020920"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:47
L3	2	"710"/\$.CCLS. AND (((("1394" bus USB) WITH (different same compatible "not compatible" conform)) WITH ((peripheral device) NEAR2 (switch\$3 select\$3)))) AND (@ad<"20020920" @rlad<"20020920"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:49
L4	3	((("1394" bus USB) WITH (different same compatible "not compatible" conform)) WITH ((peripheral device) NEAR2 (switch\$3 select\$3)))) AND (@ad<"20020920" @rlad<"20020920"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:50
L5	4	((("1394" bus USB) WITH (different same compatible "not compatible" conform)) WITH ((peripheral device terminal node) NEAR2 (switch\$3 select\$3)))) AND (@ad<"20020920" @rlad<"20020920"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:50
L6	66	((("1394" bus USB) SAME (different same compatible "not compatible" conform)) SAME ((peripheral device terminal node) NEAR2 (switch\$3 select\$3)))) AND (@ad<"20020920" @rlad<"20020920"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:51

EAST Search History

L7	77	((("1394" bus USB) SAME (different same compatible "not compatible" conform))) SAME ((peripheral device terminal node) NEAR2 (switch\$3 select\$3 replac\$3 alternative)))) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:51
L8	1744	((("1394" bus USB) SAME (different "not the same" "not compatible" "not conform"))) SAME ((peripheral device terminal node) NEAR2 (switch\$3 select\$3 replac\$3 alternative)))) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:53
L9	2604	((standard protocol) SAME (different "not the same" "not compatible" "not conform"))) SAME ((peripheral device terminal node) NEAR2 (switch\$3 select\$3 replac\$3 alternative)))) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:53
L10	777	((standard protocol) NEAR4 (different "not the same" "not compatible" "not conform"))) SAME ((peripheral device terminal node) NEAR2 (switch\$3 select\$3 replac\$3 alternative)))) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:53
L11	244	((standard protocol) NEAR4 (different "not the same" "not compatible" "not conform"))) WITH ((peripheral device terminal node) NEAR2 (switch\$3 select\$3 replac\$3 alternative)))) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:53
L12	170	"710"/\$.CCLS. AND ((standard protocol) SAME (different "not the same" "not compatible" "not conform"))) SAME ((peripheral device terminal node) NEAR2 (switch\$3 select\$3 replac\$3 alternative)))) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:53

EAST Search History

L13	380	"710"/\$.CCLS. AND (((("1394" bus USB) SAME (different "not the same" "not compatible" "not conform")) SAME ((peripheral device terminal node) NEAR2 (switch\$3 select\$3 replac\$3 alternative)))) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:54
-----	-----	---	---	----	----	------------------